

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL PRODUCT IDENTIFICATION:

PRODUCT ID : 30521, 30522, 30524, 30525
PRODUCT CLASS : PAINT, WATER BASE
TRADE NAME : ALLPRO ACRYLIC URETHANE W/B VARN SATIN
FORMULA ID : A4700-270
MSDS PREPARATION DATE : 04/22/2002

MANUFACTURER IDENTIFICATION:

NAME : CORONADO PAINT CO.
ADDRESS : 308 OLD COUNTY ROAD
EDGEWATER FL 32132
TELEPHONE : 386-428-6461
EMERGENCY CONTACT : CHEMTREC
EMERGENCY TELEPHONE : (800) 424-9300

SECTION 2 - COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

1

CAS# 111-77-3
DIETHYLENE GLYCOL MONOMETHYL ETHER
PCT BY WT: 4.0520 VAPOR PRESSURE: .100 MMHG @ 68F
EXPOSURE LIMIT:
ACGIH TLV/TWA: NE
OSHA PEL/TWA: NE
LD50: Oral (Rat) - 7128 mg/kg
CA PROPOSITION 65: Yes(Cancer)

2 DIBUTYL PHTHALATE

CAS# 84-74-2
1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER
PCT BY WT: 1.1580
EXPOSURE LIMIT:
ACGIH TLV/TWA: 5 mg/cu m - TWA
OSHA PEL/TWA: 5 mg/cu m - TWA
LD50: Oral(Rat) 20-25 g/kg

This product contains one or more Hazardous Air Pollutants.

This product contains no reported carcinogens or suspected carcinogens
according to the information provided in Section 3 of this MSDS.

This product contains pigments, which may become a dust nuisance when
removed by abrasive blasting, sanding, or grinding.

SECTION 3 - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYES: Primary irritant.
SKIN: N/A

CORONADO PAINT CO.
MATERIAL SAFETY DATA SHEET

30521, 30522, 30524, 30525

Full protective equipment including self-contained breathing apparatus should be used. Water spray may be ineffective. If water is used, fog nozzles are preferable.

UNUSUAL FIRE AND EXPLOSION HAZARDS

Closed containers may explode when exposed to extreme heat; use water spray to cool. Product in open containers may spatter when temperature exceeds boiling point of water.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Ventilate as described in Section 8. Avoid unnecessary skin contact. Stop and/or contain spill if it can be done safely, avoiding discharge into drains, sewers or waterways.

CLEAN-UP

Collect by absorption, shovel and/or wet moping.

SECTION 7 - HANDLING AND STORAGE

HANDLING

Transfer only to approved containers with complete & appropriate labeling. Do not take internally. Keep out of the reach of children.

STORAGE

Do not store above 120 °F. Close container after each use.

SPECIAL COMMENTS

Do not take internally. Wash with soap and water before eating, drinking, smoking or using toilet. Avoid FREEZING this product.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

VENTILATION

Local exhaust preferable. General exhaust acceptable if the exposure to materials in Section 2 is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, 1910.108.

RESPIRATORY PROTECTION

Where exposures are below the PEL, no respiratory protection is required. Where exposures exceed the PEL, use respirator approved by NIOSH or full protective suit with air supply appropriate for the material and level of exposure.

EYE PROTECTION

Wear safety spectacles with unperforated side shields.

CORONADO PAINT CO.
MATERIAL SAFETY DATA SHEET
30521, 30522, 30524, 30525

SECTION 12 - ECOLOGICAL INFORMATION

If available, see Section 2 of this MSDS.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

Dispose of this product in accordance with applicable local, county state and federal regulations, by incinerating, or treating and disposing in approved facility. Do not incinerate closed containers.

SECTION 14 - TRANSPORT INFORMATION

DOT HAZARD CLASS : N/A
DOT PACKAGING GROUP : N/A
DOT LABEL : NONE
DOT SHIPPING NAME : PAINT
DOT PLACARD : NONE
UN/NA NUMBER : NONE

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION

TSCA SECTION 8(b) - INVENTORY STATUS:

All components of this product are either listed on the U.S. Toxic Substances Control Act (TSCA) inventory of chemicals or are otherwise compliant with TSCA Regulations.

SARA 313 INFORMATION:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

N-METHYL PYRROLIDINONE

CAS# 872-50-4 PCT BY WT: 1.7910

DIETHYLENE GLYCOL MONOMETHYL ETHER

CAS# 111-77-3 PCT BY WT: 4.0520

1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER

CAS# 84-74-2 PCT BY WT: 1.1580

CORONADO PAINT CO.
MATERIAL SAFETY DATA SHEET
30521, 30522, 30524, 30525

SECTION 16 - OTHER INFORMATION

Prepared by : LINDA OVERTON
Date of issue : 04/22/2002
Last Revision Date : 09/10/1999
MSDS Last Prepared : NONE

HMIS Information: Health- 1 Flammability- 0
Reactivity- 0 Personal Protective Equipment- B

This Material Safety Data Sheet conforms to the Hazard Communication Standard, 29 CFR 1910.1200(g)(4).

The above information pertains to this product as currently formulated and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Abbreviations used: int.- interior; ext.- exterior; MSDS - Material Safety Data Sheet; HMIS - Hazardous Materials Information System; CAS - Chemical Abstracts Services; pct - percent; wt - weight; mm Hg - millimeters of mercury; F - Fahrenheit; ACGIH - American Conference of Governmental Industrial Hygienists; TLV - Threshold Limit Value; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; TWA - Time-Weighted Average; STEL- Short Term Exposure Limit; N/A- Not applicable IARC - International Agency for Research on Cancer; NE - Not established NTP - National Toxicological Program; CFR - Code of Federal Regulations; OSHA - Z 29CFR 1910, Subpart Z; VOC - Volatile Organic Compounds; TCC - Tag Closed Cup; LEL - Lower Explosive Limit; Mg/m3 or Mg/Cu M - milligram per cubic meter; MPPCF - millions of particles per cubic foot; PPM - parts per million; NIOSH - National Institute of Occupational Safety and Health; MSHA - Mine Safety and Health Administration; CNS - Central Nervous System.