Material Safety Data Sheet

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec)

MSDS #: 10012



MSDS#: 10012

HMIS Ratings:

HEALTH:

FLAMMABILITY: 0

REACTIVITY: 0

DATE OF PREPARATION: 4/30/2001 LAST REVISION DATE: 4/10/2000

PROTECTION:

HER SECTION OF THE SE

PRODUCT NAME:

BONA® SWEDISH FORMULA® HARDWOOD FLOOR REFRESHER

PRODUCT DESCRIPTION: WATERBORNE URETHANE WOOD FLOOR MAINTENANCE PRODUCT

|||型内状理器|||||電影響器||電影SPECTIONILETHAZARDOUSINGREDIENES器||基準電影器器|||お表現場響響

Occupational VAPOR Exposure Limits PRESSURE-% WEIGHT ACGIII-TLV OSHA-PEL **INGREDIENT** CAS# mm Hg DIPROPYLENE GLYCOL MONOMETHYL ETHER 34590-94**-**8 <2% 100 PPM 0.55 @ 25C 100 PPM DIPROPYLENE GLYCOL N-BUTYL ETHER <2% 29911-28-2 N/E N/E 0.06 @ 20C N-METHYL-2-PYRROLIDONE 872-50-4 <2% N/E 1.00 @ 25C N/E

BOILING RANGE:

>212F (100C)

EVAPORATION RATE: Slower than n-Butyl Acetate

% VOLATILE - WT: 90

DENSITY: 8.39 LBS/GAL (1.01KG/L)

VAPOR DENSITY:

Heavier than air

SOLUBILITY IN WATER: Miscible

PRODUCT CHARACTERISTICS: White, milky liquid with sweet acrylic odor

WHEN THE PROPERTY OF THE PROPE

FLAMMABILITY CLASSIFICATION: Non-Flammable

FLASH POINT: Over 200F (93C) PMCC

% OF VOL. OF FLAMMABLE LIMITS (Upper): N/A

(Lower): N/A

EXTINGUISHING MEDIA: Foam, Carbon Dioxide, Dry Chemical

UNUSUAL FIRE

Closed containers may explode (due to the build-up of steam pressure) when exposed to extreme heat.

EXPLOSION HAZARDS:

SPECIAL

FIREFIGHTING

Water may be used to cool closed containers to prevent pressure build-up.

PROCEDURES:

Material Safety Data Sheet

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec)



MSDS#: 10012

INTERNAL PROCEDURES SERVICE AND THE AUTHORIZATION OF THE AUTHORIZATION O

EYE CONTACT: Non-toxic SKIN CONTACT: Non-toxic

INHALATION: Non-toxic

INGESTION:

May cause gastrointestinal irritation. If swallowed, drink 1 or 2 glasses of water to dilute.

PRIMARY ROUTES OF ENTRY:

Ingestion and Dermal

REGULATORY

DATA:

Section 313 supplier notification: This product contains the following chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40CFR 372: None. This product contains the following chemical(s) which are known to the state of California to cause cancer or to cause birth defects or other reproductive harm:

None.

TOXICITY INFO:

No ingredients in this product are listed by OSHA, IARC or NTP as a carcinogen, teratogen, mutagen, or as having toxic reproductive effects. See Section II for exposure limits. Not an eye irritant or dermal irritant; non-toxic by oral ingestion and inhalation under FHSA/CPSC guidelines.

THE REPORT OF THE PROPERTY OF

STABILITY: Stable

REACTIVITY WITH WATER: Will Not Occur

HAZARDOUS DECOMPOSITION

PRODUCTS:

None

HAZARDOUS POLYMERIZATION:

Will Not Occur

INCOMPATIBILITY

(MATERIALS TO AVOID):

None Known

IN CASE MATERIAL IS

RELEASED OR SPILLED:

No special procedures required.

WASTE DISPOSAL:

Contaminated absorbent should be disposed of in accordance with local, state and federal

regulations.

SHIPPING INFORMATION:

Not regulated as a DOT hazardous material

是是EDETECTION OF SECULO STATES HANDENGTAND USE INFORMATION HER DESIGNATION

RESPIRATORY PROTECTION: Not required.

VENTILATION:

Use adequate mechanical (general and/or local) ventilation to maintain exposure below TLV.

PROTECTIVE GLOVES:

Not necessary.

EYE PROTECTION:

Not necessary.

OTHER PROTECTIVE

EQUIPMENT:

Not necessary.

Material Safety Data Sheet

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec)



MSDS#: 10012

HYGIENIC PRACTICES:

Wash hands with soap and water before eating or using rest rooms.

Do not transfer contents to bottles or other unlabeled containers. Do not store in high temperature (above 100F or 38C) environment. Keep from freezing.

KEEP OUT OF THE REACH OF CHILDREN

KEY CODE

HMIS = Hazardous Materials Information System

- 0 = Minimal Hazard
- I = Slight Hazard
- 2 = Moderate Hazard
- 3 = Serious Hazard
- 4 = Severe Hazard
- N/A = Not Applicable
- N/E = Not Established

ACGIH = American Conference of Governmental Industrial Hygienists

- OEL= Occupational Exposure Limits
- PEL = Permissible Exposure Limit = exposure limit to an airborne contaminant in a workday set by OSHA
- TLV = Threshold Limit Value = Time-weighted average concentration for a normal 8-hour workday without adverse effect.
- IARC = International Agency for Research on Cancer
- NTP = National Toxicology Program
- OSHA = Occupational Safety and Health Administration

For additional health and safety information, call the BonaKemi Compliance Department at (303) 371-1411.

The identities of ingredients are withheld as proprietary information. The information on this data sheet represents our best opinion as to the proper use and handling of this product under normal conditions, based upon information compiled from sources considered to be dependable. It is accurate and reliable to the best of our knowledge and belief, but is not guaranteed to be so. It is the user's responsibility to determine the suitability of this product for a specific purpose and to adopt such safety precautions as may be necessary. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.

BEFORE USING ANY PRODUCT, READ THE LABEL.