

MATERIAL SAFETY DATA SHEET**TOTAL PAGES 3**

Date issued - November 7, 2005

The OSHA Hazard Communication Standard 29 CFR 1910.1200 requires that the information contained in this document be made available to your workers

Instruct your workers to handle this material properly

SECTION I - GENERAL INFORMATION

MANUFACTURER

Elk Corporation of Alabama

ADDRESS

4602 Stillman Boulevard

PHONE NUMBER

Tuscaloosa, AL 35401

(205)758-2752

Elk Corporation of Texas

202 Cedar Road

Ennis, TX 75119

(972)875-9611

Elk Corporation of Texas, California Division

6200 Zerker Road

Shafter, CA

(661)391-3900

Elk Corporation of Texas, Pennsylvania Division

401 Weaverton Road

Myerstown, PA 17067

(717)866-8300

TRADE NAME & SYNONYMS

Prestique Shingles**Raised Profile Shingles****Capstone Shingles****Domain Shingles****Starter Strip Shingles****Z-Ridge Hip and Ridge Shingles****Seal-A-Ridge FLX Hip and Ridge Shingles****RidgeCrest High Profile Hip and Ridge**

FORMULA

Asphalt / Fiberglass Shingles

SECTION II - INGREDIENTS

PRINCIPLE HAZARDOUS COMPONENTS	None
PERCENT	N / A
THRESHOLD LIMIT VALUE (UNITS)	N / A

SECTION III - PHYSICAL DATA

BOILING POINT (°F)	N / A
SPECIFIC GRAVITY (H ₂ O = 1)	Not Determined
VAPOR PRESSURE (MM HG.)	N / A
PERCENT VOLATILE BY VOLUME (%)	N / A
VAPOR DENSITY (AIR = 1)	N / A
EVAPORATION RATE (WATER = 1)	N / A
SOLUBILITY IN WATER	N / A
PH	N / A
APPEARANCE & ODOR	Granule coated laminated shingles. No appreciable odor.
VISCOSITY (@ 77° F)	N / A

SECTION IV - FIRE & EXPLOSION HAZARD DATA

FLASH POINT (TEST METHOD)	Greater than 550 deg. F
AUTO IGNITION TEMPERATURE	N / A
FLAMMABLE LIMITS	N / A
EXTINGUISHING MEDIA	Water, Foam CO ₂ , Dry Chemical
SPECIAL FIRE FIGHTING PROCEDURES	MSHA / NIOSH approved self-contained breathing is recommended for smoke protection, but not required.
UNUSUAL FIRE & EXPLOSION HAZARDS	N / A

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE	N / A
OSHA THRESHOLD LIMIT VALUE	N / A
ACGIH THRESHOLD LIMIT VALUE	N / A
CARCINOGEN - NTP PROGRAM	N / A
CARCINOGEN IARC PROGRAM	N / A
SYMPTOMS OF EXPOSURE	N / A
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	N / A
PRIMARY ROUTE(S) OF ENTRY	Occasional nuisance dust, inhalation.

WARNING:

This product contains chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

SECTION VI - REACTIVITY DATA

STABILITY	Stable
INCOMPATIBILITY	
HAZARDOUS POLYMERIZATION	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS	None

SECTION VII - ENVIRONMENTAL PROTECTION PROCEDURES

SPILL RESPONSE	N / A
WASTE DISPOSAL METHOD	Dispose in accordance with local, state and federal requirements. The primary method of disposal is landfill in most cases.

SECTION VIII - SPECIAL PROTECTION INFORMATION

EYE PROTECTION	Safety glasses to prevent lodging of particles if splashed.
SKIN PROTECTION	Gloves for abrasion protection.
RESPIRATORY INFORMATION	None

SECTION IX - SPECIAL PRECAUTIONS

HYGIENIC PRACTICES IN HANDLING & STORAGE	Wash hands and face before handling food or drink.
--	--