



# **MATERIAL SAFETY DATA SHEET**

## **GENERAL INFORMATION**

PRODUCT NAME OR NUMBER (as it appears on label)	CATALOG NUMBER			
Aqua-Gel® II Utility Cable Pulling Lubricant	All "31" Series			
MANUFACTURER'S NAME	EMERGENCY TELEPHONE NO.			
IDEAL INDUSTRIES, INC.	(815) 895-5181			
ADDRESS (Number, Street, City, State, Zip Code)				
Becker Place, Sycamore, IL 60178				
HAZARDOUS MATERIAL DESCRIPTION, PROPER SHIPPING NAME, HAZARD CLASS, HAZARD CLASS, HAZARD ID NO. (49 CFR 172.101)				
None				
CHEMICAL DESCRIPTION FORMULA				
Polymer-based Mixture Proprietary				

### **SECTION I - INGREDIENTS**

CAS REGISTRY NO.	%W	CHEMICAL NAME(S)*	Listed as a carcinogen in NTP, I ARC or OSHA 1910(z) (specify)
7732-18-5	<90	Water	No
9038-95-3	<10	Oxirane, Methyl-, Polymer With Oxirane, Monobutyl Ether	No
9003-11-6	<5	Polyoxypropylene-polyoxyethylene Block Copolymer	No
124-68-5	<1	1-Propanol, 2-amino-2-methyl	No
9003-01-4	<1	2-Propanoic Acid	No
102-71-6	<1	Triethanloamine	No
52-51-7	<0.1	2-Bromo-2-Nitropropane 1,3 Diol	No
3844-45-9	<0.1	Blue Pigment	No
7757-82-6		-	
7647-14-5			

## **SECTION II - PHYSICAL DATA**

BOILING POINT	SPECIFIC GRAVITY (H <sub>2</sub> O=1)	PERCENT VOLATILE BY VOLUME (%)	
212 °F 100°C	0.98	<90	
SOLUBILITY IN WATER	pH =	PERCENT SOLID BY	
Infinite	7 0 - 8 0	WFIGHT (%) ~10	
APPEARANCE AND ODOR	IS MATERIAL: LIQUID SOLID (GEI)		
Clear blue o	GAS PASTE		

#### **SECTION III - FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT	None	method used C.O.C	FLAMMABLE LIMITS	LEL	UEL	
				None	None	
EXTINGUISHING	EXTINGUISHING MEDIA					
Use extinguishing media suitable for surrounding materials						
SPECIAL FIRE FIG	GHTING PROCE	DURES				
None						
UNUSUAL FIRE A	ND EXPLOSION	HAZARDS				
			None			

<sup>\*</sup> None of the chemical raw materials contained in this formulation are considered hazardous under the Federal Hazards Communication Standard 29 C. F. R 1910.1200

#### **SECTION IV - HEALTH HAZARD INFORMATION**

EFFECTS OF OVE	REXPOSURE - Con	ditions to	Avoid				
None normally expected. Upon prolonged contact, may cause temporary eye							
discomfort. THRESHOLD LIMIT VALUE							
	N F  PRIMARY ROUTES OF ENTRY Inhalation Skin Contact Structure (Specify)						
			Skin Contact 🗵 Other (specify)				
EMERGENCY FIRS  SKIN CONTACT:  EYE CONTACT:	ST AID PROCEDURI		Vash with soan and water				
			Flush v	ith wate	er		
INGESTION:	1	<u>)n nnt</u>	induce vomiting Consult of				
	UNSTABLE CONDITIONS TO AVOID						
STABILITY	STABILITY Avoid prolonged storage at temperatures exceeding 190 F.  STABLE X					emperatures exceeding 190 F.	
INCOMPATIBILITY	(materials to avoid)	Į.					
HAZARDOUS DEC	OMPOSTION PROD	UCTS:	Avoid strong ox	<u>idizers a</u>	and nitrites		
	141V 000UE		the unlikely event of combus CONDITIONS TO AVOID	stion of c	dried residue	e oxides and nitrogen may be released	
HAZARDOUS	MAY OCCUR		CONDITIONS TO AVOID		N	None	
POLYMERIZATION	WILL NOT OCCU	r X					
			SECTION VI - SPILL A	ND LE	AK PROC	EDURES	
STEPS TO BE TAK	EN IF MATERIAL IS	RELEA		:!!	ltil (		
dangerously	slipperv.		vvine un snovei or vacuui	<u>n spilled</u>	<u>i materiai (</u>	Clean up spills immediately as they can be	
WASTE DISPOSAL		_					
		Co	molv with Federal state and	l local re	equiations fo	<u>ır solid landfill</u>	
CERCLA (Superfun	d) REPORTABLE Q	JANTIT	Y (in lbs)				
RCRA HAZARDOU	S WASTE NO. (40C	FR 261.		N/A			
	,			N/A			
VOLATILE ORGAN	IC COMPOUND (VC	(as p	packaged, minus water)	one			
<sup>3</sup> Theoretical	_ lb/gal N/A			³ Analyt	tical lb/g	gal N/A	
			CTION VII - PERSONAL	PROTE	ECTION IN	FORMATION	
RESPIRATORY PR	OTECTION (specify	type)	None norm	ally regi	uired		
	DCAL EXHAUST (Sp	ecify Ra		iriiiv Testii	SPECIAL	None	
VENTILATION MI		CHANICAL (General) (Specify Rate)			OTHER None		
PROTECTIVE GLO	VES (specify type)		EYE PROTECTION (specify type				
None normally need OTHER PROTECTI	ded -Neoprene if ned	essary	<u> </u>	lone no	rmally requi	ired Safely classes or splash doddles	
Fve fountain in work area is recommended but not necessary							
SECTION VIII - SPECIAL PRECAUTIONS  PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING							
Store at temperatures between 40 - 180 F. Avoid freezing							
OTHER PRECAUTIONS  Keep away from children infants and pets							
SECTION IX - ADDITIONAL INFORMATION							
Extreme temperatures of combustion or burning and contact with nitrites could result in the formation of nitrosamines							
which are potential carcinogens. This condition is unlikely to occur.							
N/A NICLASSES N.E. ALE. ALE. ALE. ALE. ALE. ALE. ALE. A							
N/A = Not Applicable, N.E. = None Established							
THIS MATERIAL SAFETY DATA SHEET PREPARED BY:							
Director, Corporate Quality Assurance OATE 03/10/06  Director, Corporate Quality Assurance  OATE 03/10/06  OATE 03/10/06							
DATE 03	/10/06					y como . Maes nuerdo	