PERM-E-LASTIC Glazing 2

Page 1 of

Issue Date: 7/05

HMIS: 1,0,0 (H,F,R)

Section I-Chemical Product/Company Identification

Atlas Putty Products Company Phone: 708-429-5858

8351 West 185th Street Fax: 708-429-4280

Tinley Park IL 60477 Emergency Phone Number: 708-429-5858

Section II-Composition/Information on Ingredients

Calcium carbonate may contain crystalline silica at levels between between 0.01% and 1.2% and varies naturally.

Talc** $14807-96-6 > 5 \qquad \text{Total Dust } 20 \qquad \text{NE} \qquad \text{mg/m}^3$

Respirable NE 0.2 mg/m²

**Inhalation of particulates unlikely due to product's viscous nature

Unlisted ingredients are not considered hazardous by the Federal Hazard Communication Standard 29 CFR 1910.1200

Section III- Physical/Chemical Characteristics

Boiling point: Variable Appearance & Odor: White Paste/Slight Odor

Vapor Pressure: NE Water Solubility: Partial

Vapor Density (Air = 1): NE Specific Gravity: 1.4-1.7 (water = 1)

Evaporation Rate (Water =1): NA

Section IV- Fire & Explosion Hazard Data

Flash Point: Noncombustible Flammable Limits: LEL: NA UEL: NA

Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Special fire fighting procedures: Remain upwind. Avoid breathing smoke.

Unusual Fire/Explosion Hazards: Material can splatter above 100C / 212F.

Section V- Reactivity Data

Stability: Stable Incompatibility (Materials to avoid): None known

Hazardous Polymerization: Will not occur.

Reactivity with common materials: Non reactive when product is used in accordance with intended use.

Section VI- Health Hazard Data

Route(s) of Entry: Inhalation: Not acutely toxic by inhalation.

Skin: Non irritating if intact unbroken skin is contacted

Ingestion: Do not take internally. May cause gastrointestinal

distress.

Emergency and First Aid procedures:

immediately.

Eye Contact: May cause slight eye irritation. Avoid eye contact.

Skin contact: Wash affected area with soap and water.

Inhalation: Remove patient to fresh air.

Ingestion: Do not induce vomiting. Consult physician

Eye contact: Flush eyes with water for 15 minutes.

Consult physician if any irritation persists.



Page 2 of

Issue Date: 7/05

Section VII- Precautions for Safe Handling and Use

Avoid eye contact. Use in well ventilated area. Wash contacted skin as soon as possible after exposure.

Spill/Release/Disposal Information: Scoop up, place product into waste container for solid waste disposal.

Dispose of in accordance with Federal, State and local guidelines for handling

nonhazardous waste.

Storage: Keep containers tightly closed when not in use. Store between 40 F and 90 F, away from foodstuffs or drinking water.

Section VIII- Engineering Controls and Personal Protective Measures

Wear NIOSH approved respiratory protection when working in enclosed areas. Respiratory Protection:

Ventilation: Apply product using adequate ventilation.

Protective Gloves: Plastic or rubber gloves may be used to avoid skin contact.

Eye protection in the form of protective glasses or goggles is recommended if product Eye Protection:

contact is likely. General Work

> Hygiene Practices: Do not eat, drink or smoke when using this product. Wash hands

and contacted

areas with soap and water before taking breaks and after

completing work.

Section IX- Hazard Classification

All ingredients within the product are listed on the Canadian Domestic Substances List where applicable.

US DOT considers the product NON REGULATED.

This product does not contain a chemical listed in Section 313 at or above de minimis concentrations.

Release of this material to air, land or water is not reportable to the National Response Center under CERCLA or

SARA.

Discarded material is classified as a RCRA nonhazardous waste.

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.



